# Policy for conditions for which over the counter items should not (routinely) be prescribed in primary care

This Self Care Policy has been developed to reflect the <u>NHSE guidance</u> published in March 2018 'Conditions for which over the counter medicines should not ((routinely)) be prescribed in primary care'.

NHSE concluded that by reducing spend on treating conditions that are self-limiting or which lend themselves to self-care or on items for which there is little evidence of clinical effectiveness, these resources can be used for other higher priority areas that have a greater impact on patients, support improvement in services and/or deliver transformation that will ensure the long-term sustainability of the NHS.

This policy covers 35 conditions (appendix 1), each condition/item has been assigned one of the following three recommendations by NHSE.

- Item X should not be (routinely) prescribed in primary care due to limited evidence of clinical effectiveness.
- A prescription for treatment of condition X should not be (routinely) offered in primary care as the condition is self-limiting and will clear up on its own without the need for treatment.
- A prescription for treatment of condition X should not (routinely) be offered in primary care as the condition is appropriate for self-care.

#### 1.0 General Exceptions to the guidance

- Patients prescribed OTC treatment for a long-term condition (e.g. pain relief for chronic arthritis or treatments for inflammatory bowel disease.)
- For the treatment of more complex forms of minor illnesses (e.g. severe migraines that are unresponsive to over the counter medicines.)
- For those patients who have symptoms that suggest the condition is not minor (i.e. those with red flag symptoms for example indigestion with very bad pain).
- Treatment for complex patients (e.g. immunocompromised patients).
- Patients on prescription only treatments (where the OTC medicine cannot be sold for the indication it is to be used for).
- Patients prescribed OTC products to treat an adverse effect or symptom of a more complex illness and/or prescription only medication should continue to have these products prescribed on the NHS.
- Circumstances where the product license doesn't allow the product to be sold over the counter to certain groups of patients. This may vary by medicine, but could include babies, children and / or people who are pregnant or breastfeeding. Details have been included under the relevant sections.
- Patients with a minor condition suitable for self-care that has not responded sufficiently to treatment with an OTC product.

## 2.0 Items of limited clinical effectiveness

### 2.1 Probiotics

Recommendation	Probiotics should not be prescribed in primary care due to limited evidence of clinical effectiveness. Removed from the Drug Tariff therefore unable to be prescribed or reimbursed on the NHS.
Examples	Probiotics sachets, VSL# sachets
Exemptions	None have been identified. See earlier for general exemptions
OTC licensing restrictions	Some products are not suitable for children.
Patient friendly link	https://www.nhs.uk/conditions/probiotics/

# 2.2 Vitamins and Minerals – see appendix 2 for detailed guidance on vitamin prescribing

Recommendation	Vitamins and minerals should not be (routinely) prescribed in primary care due to limited evidence of clinical effectiveness
Examples	Vitamin B compound tablets, Vitamin C, Cod liver oil, Multivitamins, Vitamin E, Vitamin D (for maintenance)
Exemptions	Medically diagnosed deficiency including patients who may have a lifelong or chronic condition or have undergone surgery that results in malabsorption. Continuing need should be reviewed on a regular basis.  This guidance does not apply to prescription only vitamin D analogues such as alfacalcidol, these should continue to be prescribed.
	Maintenance or preventative treatment is NOT an exception
	Calcium and Vitamin D for osteoporosis
	Severe malnutrition including alcoholism
	Bariatric surgery is NOT an exemption
OTC licensing restrictions	The pharmacist will be able to advise on individual contra-indications for different products.
Patient friendly link	https://www.nhs.uk/conditions/vitamins-and-minerals/

## 3.0 Self-Limiting Conditions

#### 3.1 Acute sore throat

Recommendation	Prescription for treatment of acute sore throat should not (routinely) be offered in primary care as the condition is self-limiting and will clear up on its own without the need for treatment.  There is little evidence to suggest that treatments such as lozenges or throat sprays help to treat the cause of sore throat and patients should be advised to take simple painkillers and implement some self-care measures such as gargling with warm salty water instead.
Examples	Antiseptic lozenges, throat sprays
Exemptions	Red flag symptoms
OTC licensing	None
restrictions	
Patient friendly	https://www.nhs.uk/conditions/sore-throat/
link	

## 3.2 Infrequent cold sores of the lip

Recommendation	Prescription for treatment of cold sores should not (routinely) be offered in primary care as the condition is self-limiting and will clear up on its own without the need for treatment.  Antiviral creams are available over the counter from pharmacies without a prescription and if used correctly, these can help ease symptoms and speed up the healing time.  To be effective, these treatments should be applied as soon as the first signs of a cold sore appear.
Examples	Antiviral creams (aciclovir)
Exemptions	Immunocompromised patients Red flag symptoms
OTC licensing restrictions	Topical antiviral preparations cannot be sold for use anywhere other than the face/mouth (excluding the eye).  Pregnancy and breastfeeding
Patient friendly link	https://www.nhs.uk/conditions/cold-sores/

## 3.3 Conjunctivitis (bacterial, irritant or allergic)

Recommendation	Prescription for treatment of conjunctivitis should not (routinely) be offered in primary care as the condition is self-limiting and will clear
	up on its own without treatment.
Examples	Antibacterial drops/ointment
	Antihistamine eye drops
Exemptions	Red flag symptoms
OTC licensing restrictions	Chloramphenicol eyes drops/ointment cannot be sold for use in patients under 2 years old. Patient must be able to attend pharmacy for assessment.
	Sodium cromoglicate eye drops cannot be sold for use in patients under 6 years old. Usage limited to five days without further assessment.

Patient friendly	https://www.nhs.uk/conditions/conjunctivitis/
link	

## 3.4 Coughs, cold and nasal congestion

Recommendation	Prescription for treatment of coughs, colds and nasal congestion should not (routinely) be offered in primary care as the condition is self-limiting and will clear up on its own without treatment.
Examples	Cough mixtures, decongestant tablets and sprays, simple linctus, painkillers
Exemptions	Red flag symptoms
OTC licensing	Pseudoephedrine cannot be sold to;
restrictions	Children under 6 years
100110110110	Children 6-12 years for more than 5 days
	People who are pregnant
	, , ,
	Hypertensive patients
	Paracetamol
	<ul> <li>Cannot be sold for use in infants under 3 months of age. (Can be sold for fever post vaccination from 2 months).</li> <li>Restriction of 32 tablets unless pharmacist approves the sale of more, up to a maximum of 96.</li> </ul>
	<ul> <li>Ibuprofen</li> <li>Cannot be sold for use in pregnant patients</li> <li>Cannot be sold for use in infants under 3 months of age</li> <li>Cannot be sold for use in infants 3-6 months old who are less than 5kg</li> </ul>
	Co-codamol
	Cannot be sold for use in children under 12 years
	Cannot be sold for use in pregnant or breastfeeding people
	Cannot be sold for use in paediatric patients (0 – 18 years)
	who undergo tonsillectomy and/or adenoidectomy for
	obstructive sleep apnoea syndrome.
Patient friendly	https://www.nhs.uk/conditions/common-cold/
link	https://www.nhs.uk/conditions/cough/
III IIX	https://www.nhs.uk/conditions/decongestants/
	TREPOST WWW.TITIO. GREAT GOOD TO GOOD

# 3.5 Cradle Cap

Recommendation	Prescription for treatment of cradle cap should not (routinely) be offered in primary care as the condition is self-limiting and will clear
	, ,
	up on its own without treatment.
Examples	Emulsifying ointment, baby shampoo
Exemptions	If causing distress to the infant and not improving
OTC licensing	None
restrictions	
Patient friendly	https://www.nhs.uk/conditions/cradle-cap/
link	

### 3.6 Haemorrhoids

Recommendation	Prescription for treatment of haemorrhoids should not (routinely) be offered in primary care as the condition is self-limiting and will clear up on its own without treatment.
Examples	Haemorrhoid creams/ointments, suppositories
Exemptions	Red flag symptoms
OTC licensing	Children under 18 years
restrictions	Pregnant and breastfeeding patients
Patient friendly	https://www.nhs.uk/conditions/piles-haemorrhoids/
link	

### 3.7 Infant Colic

Recommendation	Prescription for treatment of infant colic should not (routinely) be offered in primary care as the condition is self-limiting and will clear up on its own without the need for treatment.  There are some over-the-counter treatments available that could be tried however there is limited evidence for the effectiveness of these treatments.
Examples	Simethicone drops, lactase drops
Exemptions	Red flag symptoms
OTC licensing	None
restrictions	
Patient friendly	https://www.nhs.uk/conditions/colic/treatment/
link	

# 3.8 Mild Cystitis

Recommendation	Prescription for symptomatic treatment of mild cystitis should not routinely be offered in primary care as the condition is self-limiting and will clear up on its own without the need for treatment.  Mild cases can be defined as those that are responsive to symptomatic treatment but will also clear up on their own. If symptoms don't improve in 3 days, despite self-care measures, then the patient should be advised to see their GP.  Symptomatic treatment using products that reduce the acidity of the urine to reduce symptoms are available, but there's a lack of evidence to suggest they're effective.
Examples	Sodium bicarbonate or potassium bicarbonate granules
Exemptions	Red flag symptoms
OTC licensing	Pregnancy or breastfeeding
restrictions	Hypertension, heart disease, kidney disease
Patient friendly	https://www.nhs.uk/conditions/cystitis/
link	· —

## 4.0 Minor Conditions Suitable for Self-Care

#### 4.1 Mild Irritant dermatitis

Recommendation	Prescription for treatment of irritant dermatitis should not (routinely) be offered in primary care as the condition is appropriate for self-care. It is most commonly caused by irritants such as soaps, washing powders, detergents, solvents or regular contact with water. Treatment normally involves avoiding the allergen or irritant and treating symptoms with over the counter emollients and topical corticosteroids.
Examples	Emollients, mild steroid creams
Exemptions	None have been identified. See earlier for general exemptions
OTC licensing restrictions	Hydrocortisone 1% cream cannot be sold for use in children under 10 years old. It can also not be sold for use on the face, eyes, ano-
	genital area, broken or infected skin. Usage is limited to seven days without further assessment.
Patient friendly link	https://www.nhs.uk/conditions/contact-dermatitis/treatment/

### 4.2 Dandruff

Recommendation	Prescription for treatment of dandruff should not be (routinely) prescribed in primary care as the condition is appropriate for self-care.  Patients should be encouraged to manage mild dandruff with long term over the counter treatments.
Examples	Medicated shampoo
Exemptions	None have been identified. See earlier for general exemptions
OTC licensing	Selenium and coal tar preparations cannot be sold OTC for people
restrictions	who are pregnant or breastfeeding.
Patient friendly	https://www.nhs.uk/conditions/dandruff/
link	

### 4.3 Diarrhoea in adults

Recommendation	Prescription for treatment of acute (short term) diarrhoea in adults should not be (routinely) prescribed in primary care as the condition is appropriate for self-care.
Examples	Loperamide capsules, rehydration sachets
Exemptions	None have been identified. See earlier for general exemptions
OTC licensing	Oral rehydration solutions and loperamide cannot be sold OTC for
restrictions	people who are pregnant or breastfeeding.
Patient friendly	https://www.nhs.uk/conditions/diarrhoea-and-vomiting/
link	

## 4.4 Dry eyes/Sore tired eyes

Recommendation	Prescription for treatment of mild dry or sore/tired eyes should not be (routinely) prescribed in primary care as the condition is appropriate for self-care.  Patients should be encouraged to manage intermittent dry eyes and sore eyes by implementing some self-care measures such as good eyelid hygiene and avoidance of environmental factors alongside treatment  Mild to moderate cases of dry eye syndrome or sore tired eyes can usually be treated using lubricant eye treatments that can be purchased over the counter.
Examples	Dry/tired eye drops
Exemptions	Chronic dry eye symptoms
OTC licensing restrictions	None
Patient friendly link	https://www.nhs.uk/conditions/dry-eyes/

#### 4.5 Earwax

Recommendation	Prescription for the removal of earwax should not be (routinely) offered in primary care as the condition is appropriate for self-care.
Examples	Sodium bicarbonate ear drops, olive oil, almond oil, hydrogen peroxide drops
Exemptions	No routine exemptions identified. See earlier for general exceptions
OTC licensing restrictions	None
Patient friendly link	https://www.nhs.uk/conditions/earwax-build-up/

## 4.6 Excessive sweating (Hyperhidrosis)

Recommendation	Prescription for high strength antiperspirants for the treatment of mild to moderate hyperhidrosis should not (routinely) be offered in primary care as the condition is appropriate for self-care. First line treatment should involve simple lifestyle changes for example; avoiding identified triggers, avoiding tight fitting clothes and manmade fabrics. Antiperspirants containing aluminium chloride for the treatment of hyperhidrosis are sold in most pharmacies.
Examples	Aluminium chloride sprays/roll on
Exemptions	No routine exemptions identified. See earlier for general exceptions
OTC licensing restrictions	None
Patient friendly link	https://www.nhs.uk/conditions/excessive-sweating-hyperhidrosis/

# 4.7 Indigestion and Heartburn

Recommendation	Prescription for treatment of indigestion and heartburn should not be (routinely) prescribed in primary care as the condition is appropriate for self-care.  Most people can ease symptoms by simple changes to diet and lifestyle and avoiding foods that make indigestion worse. (e.g.
	rich spicy or fatty foods, caffeinated drinks).
Examples	Sodium alginate suspension, antacid tablets/suspensions, ranitidine, proton pump inhibitors
Exemptions	No routine exemptions identified See earlier for general exceptions and be aware of red flag symptoms.
OTC licensing restrictions	Alginate raft forming suspensions cannot be sold OTC for children under 12 years.
	<ul> <li>H2 receptor antagonists cannot be sold for children under 16 years.</li> </ul>
	A number of antacids are available OTC for people who are pregnant or breastfeeding, the pharmacist will be able to advise.
Patient friendly link	https://www.nhs.uk/conditions/indigestion/

### 4.8 Head Lice

Recommendation	Prescription for treatment of headlice should not be (routinely) prescribed in primary care as the condition is appropriate for self-care.  Live head lice can be treated by wet combing; chemical treatment is only recommended in exceptional circumstances and in these cases over the counter medicines can be purchased from a pharmacy. If appropriate everyone in the household needs to be treated at the same time - even if they don't have symptoms.
Examples	Hedrin 4% lotion, Lyclear lotion, Derbac-M 0.5% liquid
Exemptions	No routine exemptions identified. See earlier for general exceptions
OTC licensing restrictions	Topical treatments are not licensed for use in children under 6 months except under medical supervision. Cannot be sold for regular use. Alcoholic lotions are not recommended for treatment of headlice in children with severe eczema or asthma.
Patient friendly link	https://www.nhs.uk/conditions/head-lice-and-nits/

# 4.9 Infrequent Short-Term Constipation

Recommendation	Prescription for treatment of simple, short term constipation should not be (routinely) prescribed in primary care as the condition is appropriate for self-care. Most laxatives work within three days. This guidance applies to constipation caused by changes in lifestyle or diet such as lack of water or movement or changes by diet.
Examples	Bisacodyl tablets, ispaghula husk, lactulose, senna
Exemptions	No routine exemptions identified. See earlier for general exceptions
OTC licensing	Cannot be sold for regular use.
restrictions	Laxatives are not recommended for children unless they are
	prescribed by a GP.
Patient friendly	https://www.nhs.uk/conditions/constipation/
link	

## **5.0 Infrequent Migraines**

Recommendation	Prescription for treatment of mild infrequent migraine should not be (routinely) prescribed in primary care as the condition is appropriate for self-care.  A number of OTC treatments for migraine are available that contain both analgesia and anti-sickness medicines. Those with severe or recurrent migraines should continue to seek advice from their GP.
Examples	Migraine treatments, analgesia
Exemptions	No routine exemptions identified. See earlier for general exceptions
OTC licensing restrictions	Only paracetamol can be sold OTC to people who are pregnant. Only paracetamol or ibuprofen can be sold OTC for people who are breastfeeding. Quantity restriction of 32 tablets for paracetamol unless approved by pharmacist (96). Preparations containing buclizine and codeine cannot be sold for children under 12 years.
Patient friendly link	https://www.nhs.uk/conditions/migraine/

## 5.1 Insect bites and stings

Recommendation	Prescription for treatment of insect bites and stings should not be (routinely) prescribed in primary care as the condition is appropriate for self-care.
Examples	Antihistamine cream/tablets, antiseptic cream, anti-itch cream, steroid cream
Exemptions	No routine exemptions identified. See earlier for general exceptions
OTC licensing restrictions	Pregnancy and breastfeeding  These medications <u>cannot</u> be sold for use in the following groups;

	<ul> <li>Crotamiton under 3 years</li> <li>Crotamiton with hydrocortisone under 10 years or for use on face, eyes or anogenital area.</li> </ul>
Patient friendly link	https://www.nhs.uk/conditions/insect-bites-and-stings/

### 5.2 Mild Acne

Recommendation	Prescription for treatment of mild acne should not be (routinely) prescribed in primary care as the condition is appropriate for self-care.  Several creams, lotions and gels for treating acne are available at pharmacies. Treatments can take up to three months to work. Patients should be encouraged to manage mild acne with long term use of over the counter products.
Examples	Benzyl peroxide cream/gel, salicylic acid products
Exemptions	No routine exemptions identified. See earlier for general exceptions
OTC licensing restrictions	Pregnant and breastfeeding patients
Patient friendly link	https://www.nhs.uk/conditions/acne/

## 5.3 Mild Dry Skin

Recommendation	Prescription for treatment of mild dry skin should not (routinely) be prescribed in primary care as the condition is appropriate for self-care.
	Patients with mild dry skin can be successfully managed using over the counter emollients on a long term basis.
Examples	Emollients
Exemptions	No routine exemptions identified. See earlier for general exceptions
OTC licensing restrictions	None
Patient friendly link	https://www.nhs.uk/conditions/atopic-eczema/

## 5.4 Sunburn due to excessive sun exposure

Recommendation	Prescription for treatment of sunburn should not be (routinely) prescribed in primary care as the condition is appropriate for self-care.
Examples	Cooling creams
Exemptions	No routine exemptions identified. See earlier for general exceptions
OTC licensing	None
restrictions	
Patient friendly	https://www.nhs.uk/conditions/sunburn/
link	

## 5.5 Sun protection

Recommendation	Prescription for sun protection should not be (routinely) prescribed in primary care as the condition is appropriate for self-care.
Examples	Sun cream/lotion, lip protection
Exemptions	If patient has ACBS approved indication of photodermatoses then skin protection can be prescribed; preparation must be listed in the Drug Tariff.  See earlier for general exceptions
OTC licensing restrictions	None
Patient friendly link	https://www.nhs.uk/live-well/healthy-body/sunscreen-and-sun-safety/

# 5.6 Mild to Moderate Hay Fever/Seasonal Rhinitis

Recommendation	Prescription for treatment of mild to moderate hay fever should not be (routinely) prescribed in primary care as the condition is appropriate
	for self-care.
Examples	Antihistamines, sodium cromoglicate eye drops, steroid nasal sprays
Exemptions	No routine exemptions identified. See earlier for general exceptions
OTC licensing restrictions	Hay fever preparations will need to be prescribed for people pregnant or breastfeeding as OTC treatments cannot be purchased.
	Steroid sprays Beclomethasone and fluticasone nasal sprays cannot be sold for use in patients aged under 18 years old
	Eye drops Sodium cromoglicate eye drops cannot be sold for use in patients under 6 years old
	Antihistamines cannot be sold for use in the following patient groups;
	Acrivastine under 12 years and over 65 years
	Cetirizine tablets under 6 years
	Cetirizine liquid 5mg/5ml under 2 years
	Chlorphenamine under 1 year
	Loratadine under 2 years
Patient friendly link	https://www.nhs.uk/conditions/hay-fever/

### 5.7 Minor burns and scalds

Recommendation	Prescription for treatment of minor burns and scalds should not be (routinely) prescribed in primary care as the condition is appropriate for self-care.
Examples	Antiseptic creams, cooling creams
Exemptions	More serious burns always require professional medical attention.
	Burns requiring hospital A&E treatment include but are not limited to:
	All chemical and electrical burns
	Large or deep burns
	<ul> <li>Burns that cause white or charred skin</li> </ul>

	<ul> <li>Burns on the face, hands, arms, feet, legs, genitals that cause blisters</li> <li>See earlier for general exceptions</li> </ul>
OTC licensing restrictions	None
Patient friendly link	https://www.nhs.uk/conditions/burns-and-scalds/

# 5.8 Minor conditions associated with pain, discomfort and/fever (aches and sprains, headache, period pain, back pain)

Recommendation	Prescription for treatment of minor conditions associated with pain,
Necommendation	
	discomfort and mild fever will not be (routinely) prescribed in primary
	care as the condition is appropriate for self-care.
Examples	Paracetamol, ibuprofen, co-codamol
Exemptions	No routine exemptions identified. See earlier for general exceptions
OTC licensing	Paracetamol
restrictions	<ul> <li>Cannot be sold for use in infants under 3 months of age. Can be sold however for post vaccination fever in babies from 2 months.</li> </ul>
	<ul> <li>Restriction of 32 tablets unless pharmacist approves the sale of more, up to a maximum of 96.</li> </ul>
	Ibuprofen
	<ul> <li>Cannot be sold for use in pregnant patients</li> </ul>
	<ul> <li>Cannot be sold for use in infants under 3 months of age</li> </ul>
	<ul> <li>Cannot be sold for use in infants 3-6 months old who are less than 5kg</li> </ul>
	Co-codamol
	Cannot be sold for use in children under 12 years
	Cannot be sold for use in pregnant or breastfeeding patients
	<ul> <li>Cannot be sold for use in paediatric patients (0 – 18 years)</li> </ul>
	who undergo tonsillectomy and/or adenoidectomy for
	obstructive sleep apnoea syndrome.
Patient friendly	https://www.nhs.uk/conditions/back-pain/
link	https://www.nhs.uk/conditions/period-pain/
III IIX	https://www.nhs.uk/conditions/sprains-and-strains/
	https://www.nhs.uk/conditions/headaches/
	intps.//www.mis.un/contuitions/neadaches/

### 5.9 Mouth Ulcers

Recommendation	Prescription for treatment of mouth ulcers will not be (routinely) prescribed in primary care as the condition is appropriate for self-care.
Examples	Anaesthetic gel, mouthwash
Exemptions	No routine exemptions identified See earlier for general exceptions
OTC licensing restrictions	<ul> <li>Bonjela gel can only be used by adults and children over the age of 16 years</li> <li>Bonjela Junior gel is available OTC for infants aged 5 months and over.</li> <li>Iglu gel and is available OTC for adults and children over the age of 7 years</li> <li>Chlorhexidine mouthwash cannot be sold for use in children under 12 years.</li> </ul>
Patient friendly link	https://www.nhs.uk/conditions/mouth-ulcers/

## 6.0 Nappy Rash

Recommendation	Prescription for treatment of nappy rash will not be (routinely) prescribed in primary care as the condition is appropriate for self-care.
Examples	Barrier creams
Exemptions	No routine exemptions identified. See earlier for general exceptions
OTC restrictions	None
Patient friendly	https://www.nhs.uk/conditions/pregnancy-and-baby/nappy-rash/
link	

## 6.1 Oral Thrush

Recommendation	Prescription for the treatment of oral thrush should not (routinely) be prescribed in primary care as the condition is appropriate for self-care.  It is common in babies and older people with dentures or those using steroid inhalers. It can easily be treated with OTC oral gel which is suitable for adults, children and babies over the age of 4 months.
Examples	Daktarin oral gel
Exemptions	See earlier for general exceptions Red flag symptoms
OTC restrictions	15g tube of Daktarin oral gel can be sold to the public OTC. It can be sold for the treatment of adults, children and babies <b>over 4 months</b> . If a baby is under 4 months of age and has signs of oral thrush they would need to see a GP.
Patient friendly link	https://www.nhs.uk/conditions/oral-thrush-mouth-thrush/

### **6.2 Prevention of Dental Caries**

Recommendation	Prescription for high strength fluoride toothpaste should not (routinely) be prescribed in primary care as the condition is appropriate for self-
	care.
Examples	Fluoride toothpaste, mouthwash, oral drops
Exemptions	No routine exemptions identified. See earlier for general exceptions If the strength of fluoride toothpaste required is not available OTC it should be prescribed by a dentist. GPs should not be approached to prescribe dental treatments.
OTC restrictions	Patients who require dental items should be signposted to see their Dentist for professional advice in the first instance.
Patient friendly link	https://www.nhs.uk/conditions/tooth-decay/

## 6.3 Ringworm/Athletes Foot

Recommendation	Prescription for treatment of ringwork or athletes foot will not
	(routinely) be offered in primary care as the condition is appropriate
	for self-care.
Examples	Antifungal creams/powder/sprays
Exemptions	Lymphoedema or lower limb cellulitis
	See earlier for general exceptions
OTC restrictions	Pregnancy and breastfeeding
	Diabetic patients
	<ul> <li>Terbinafine cannot be sold for use in children under 16 years</li> </ul>
	of age
Patient friendly	https://www.nhs.uk/conditions/ringworm/
link	https://www.nhs.uk/conditions/athletes-foot/

## 6.4 Teething/mild toothache

Recommendation	Prescription for teething in babies or toothache in children and adults will not (routinely) be offered in primary care as the condition is appropriate for self-care.
Examples	Teething gels, analgesia
Exemptions	No routine exemptions identified. See earlier for general exceptions
OTC restrictions	None
Patient friendly	https://www.nhs.uk/conditions/baby/babys-development/teething/
link	https://www.nhs.uk/conditions/toothache/

### 6.5 Threadworms

Recommendation	Prescription for treatment of threadworms will not (routinely) be offered in primary care as the condition is appropriate for self-care.
Examples	Mebendazole tablets and suspension
Exemptions	No routine exemptions identified. See earlier for general exceptions
OTC restrictions	Mebendazole cannot be sold for use in children under 2 years of age.
	Pregnancy and breastfeeding
Patient friendly link	https://www.nhs.uk/conditions/threadworms/

### **6.6 Travel Sickness**

Recommendation	Prescription for treatment of motion sickness will not (routinely) be offered in primary care as the condition is appropriate for self-care.
Examples	Travel sickness tablets
Exemptions	No routine exemptions identified. See earlier for general exceptions
OTC restrictions	None
Patient friendly	https://www.nhs.uk/conditions/motion-sickness/
link	

#### 6.7 Warts and Verrucae

Docommondation	Proportion for treatment of worth and varriage will not (routinaly) be	
Recommendation	Prescription for treatment of warts and verrucae will not (routinely) be	
	prescribed in primary care as the condition is appropriate for self-	
	care.	
Examples	Salicylic acid topical products, Dimethyl ether propane cold spray	
Exemptions	No routine exemptions identified. See earlier for general exceptions	
OTC restrictions	Cold sprays containing dimethyl ether propane cannot be sold OTC	
	for;	
	Warts and verrucae bigger than 7.5mm	
	Children under 4 years of age	
	Diabetic patients	
	People who are pregnant or breastfeeding.	
	Salicylic acid containing topical preparations cannot be sold for use for;	
	Diabetic patients or patients with impaired peripheral circulation	
	<ul> <li>Use on face, neck, anogenital area, moles, birthmarks, hairy warts, or any other lesion for which the wart is not indicated</li> </ul>	
Patient friendly	https://www.nhs.uk/conditions/warts-and-verrucas/	
link		

# Appendix 1

Condition	Example products not for prescription
Probiotics	Probiotics sachets, VSL# sachets
Vitamins and minerals	Vitamin B compound tablets, Vitamin C,
	Multivitamins, Co enzyme Q10, Vitamin D
	for maintenance
Acute sore throat	Lozenges, throat sprays
Cold sores	Antiviral (aciclovir) cold sore cream
Conjunctivitis	Antimicrobial (chloramphenicol) eye
·	drops/ointment, Sodium cromoglicate eye drops
Coughs and Colds and nasal congestion	Cough mixtures, Simple linctus, Saline nose drops, Menthol vapour rubs, Cold and flu capsules, Ephedrine tablets/spray, analgesia
Cradle cap	Emulsifying ointment, shampoos
Haemorrhoids	Haemorrhoid creams / suppositories
Infant Colic	Simethicone suspensions, Lactase drops
Mild Cystitis	Sodium bicarbonate or Potassium citrate
•	granules
Contact dermatitis	Emollients, Steroid creams
Dandruff	Anti-dandruff shampoos, Antifungal
	shampoos
Diarrhoea	Loperamide, Rehydration sachets
Dry eyes	Eye drops for sore/tired eyes, Hypromellose 0.3% eye drops
Earwax	Drops containing sodium bicarbonate, Hydrogen peroxide, Olive oil or Almond oil
Excessive sweating	Aluminium chloride sprays, roll-on treatment, solutuions
Head lice	Permethrin, dimethicone creams or lotions
Indigestion and heartburn	Anatacid tablets / liquid, Ranitidine tablets, Omeprazole capsules, Sodium alginate, Calcium carbonate or Sodium bicarbonate liquids
Infrequent constipation	Bisacodyl tablets, Fybogel sachets, Senna tablets, Lactulose
Infrequent migraines	Migraine tablets, analgesia, anti-sickness tablets
Insect bites and stings	Steroid creams, Antihistamine creams
Mild acne	Benzoyl peroxide, Salicylic acid
Mild dry skin	Emollient creams, ointments and lotions
Sunburn/sun protection	After sun cream, sun creams
Mild to moderate hay fever/seasonal rhinitis	Antihistamines, Sodium cromoglicate,
-	Steroid nasal sprays (over 18 years)
Minor burns and scalds	Antiseptic burns cream, cooling burn gel
Minor condition associated with pain,	Paracetamol tablets, Ibuprofen tablets,
discomfort and/fever.	NSAID topical creams/gels, Paracetamol suspension, Ibuprofen suspension
Mouth ulcers	Local anaesthetic gels, Antimicrobial mouthwash

Nappy rash	Nappy rash creams
Prevention of dental caries	Fluoride toothpaste, mouthwashes
Ringworm/athletes foot	Athletes foot cream, Antifungal
	creams/sprays
Teething/mild toothache	Antiseptic painrelieving oral gel, Clove oil,
	analgesia
Threadworms	Mebendazole 100mg tablets
Travel sickness tablets	Travel sickness tablets
Warts and verrucae	Salicylic acid topical treatments, dimethyl
	ether propane cold spray

## **Appendix 2**

### **Prescribing of Vitamins and Minerals in Primary Care**

#### **General principles:**

Prescribing of vitamins and minerals is a low clinical priority and is only appropriate where there is an ACBS approved indication, i.e. only in the management of actual vitamin or mineral deficiency, and not as dietary supplements or as a general "pick-me-up".

Vitamins and minerals are essential nutrients which most people should get from eating a healthy, varied and balanced diet. Patients should be advised that this can be achieved by eating a balance of starchy foods (wholegrain where possible) with plenty of fruit and vegetables (at least five portions a day); some protein-rich foods; some milk and dairy foods; and not too much fat, salt or sugar. This will give them all the nutrients they need.

The <u>Eatwell Guide</u> is a useful tool which can be used to show people how a healthy, varied and balanced diet can be achieved and what proportion of each food type should be consumed.

#### Recommendations:

- Vitamin and mineral preparations can be purchased Over-the-Counter with the support of community pharmacists. This should be first line before prescribing on FP10 is considered.
- Review all patients prescribed vitamin and mineral preparations and ensure that where
  a patient is unable or unwilling to self-care, any prescribing on FP10 is in-line with an ACBS
  approved indication, i.e. only in the management of actual vitamin or mineral deficiency /
  severe malnutrition. Patients should be reviewed regularly for continued need.
- Discontinue prescribing of vitamins and minerals on FP10 for patients who are not being treated for the management of a diagnosed vitamin or mineral deficiency / severe malnutrition.
- Do not initiate new prescriptions for vitamin and mineral preparations unless they are for the management of actual vitamin or mineral deficiency in line with an ACBS approved indication.
- If patients still want to take vitamins and minerals for dietary supplementation or as a "pick-me-up" they should be advised that they should be purchased as self-care Over-the-Counter with the support of the community pharmacist. FP10 prescribing is not recommended.
- Some patients may be eligible for NHS Healthy Start vitamins which are specifically designed for pregnancy, breastfeeding and growing children. They are available free of charge from local distribution points – in Norfolk this is via community pharmacy. More information is on the Healthy Start website: https://www.healthystart.nhs.uk/getting-vitamins/
- Vitamin and mineral supplementation (short course) associated with re-feeding will be
  prescribed by the specialist looking after the patient and should not be prescribed on FP10.
  Certain patients with malnutrition may also require vitamin and mineral supplementation.
  These patients are likely to be under specialist care. Malnutrition is not covered by this policy statement.
- Review all patients prescribed vitamin B preparations: thiamine (B<sub>1</sub>), riboflavin (B<sub>2</sub>), nicotinamide (B<sub>3</sub>), pyridoxine (B<sub>6</sub>), potassium benzoate (B<sub>10</sub>) and complex preparations see tables below. Ensure thiamine prescribing is appropriate (as per local guidelines / nutrition formulary) and there is ongoing need. There should be *no prescribing* of vitamin B Co or Co Strong in primary care. Any items on repeat should be stopped.

 Review all patients prescribed vitamin D (colecalciferol) (NB ergocalciferol is not recommended for use) and ensure it is for treatment of deficiency. Prevention of deficiency should be achieved through lifestyle changes or by purchasing vitamin D Over-the-Counter with the support of a community pharmacist. See local vitamin D prescribing guidance for adults and for children.

## **Prescribing Recommendations for Vitamins, Minerals & Supplements**

Do Not Prescribe on FP	10:
Recommend lifestyle / diet cl pharmacist	hanges or Self-Care over the counter with support of a community
Abidec®:	See above recommendation regarding Healthy Start Vitamins
Antioxidants:	<ul> <li>Ocuvite PreserVision, ICAPS, Viteyes, etc - on the basis of being unlicensed for use in AMD and there being no robust evidence for use in cataracts (TAG Double Red)</li> <li>Co Enzyme Q10 - on the basis of there being no robust evidence for use (TAG Double Red)</li> </ul>
Cod liver oil	Available Over-the-Counter
Dalivit®	See above recommendation regarding Healthy Start Vitamins
Evening Primrose Oil / gamolenic acid:	Blacklisted products - (TAG Double Red)
Folic acid supplements (400mcg):	For prevention of neural tube defects in pregnancy – available over the counter
General multivitamins	Any brands e.g. Centrum, Seven Seas products, Haliborange, own store brands
Glucosamine, Glucosamine & Chondroitin:	On the basis of NICE CG for osteoarthritis in adults states that these products are not recommended. Available to purchase without prescription at a 10th of the cost to the NHS. (TAG Double Red)
Homeopathic remedies:	TAG Double Red / Not recommended for NHS provision
Nicotinic acid (niacin) and derivatives (as above):	NICE Do Not Do (TAG Double Red)
Omega 3 fish oils including <i>Omacor</i> ®	Patients should be encouraged to take healthy dietary measures to increase their intake of fish oils - (TAG Double Red)
Phlexy-Vits®	No requirement for use of specific multivitamins for people with PKU
Tonics	No evidence to support use on the NHS
Vitamin B complex formulations	No evidence to support use on the NHS
Vitamin B compound tablets and compound strong tablets	Used for <i>only 10 days</i> for re-feeding syndrome by secondary care
<b>Vitamin B</b> <sub>10</sub> / Potassium aminobenzoate ( <i>Potaba</i> ®) capsules and powder):	Available to purchase Over-the-Counter (TAG Double Red)

#### Do Not Prescribe on FP10:

Recommend lifestyle / diet changes or Self-Care over the counter with support of a community pharmacist

Vitamin B <sub>2</sub> (Riboflavin):	Available in fortified foods
Vitamin B <sub>3</sub> (Vitamin PP) / Nicotinamide / Niacinamide:	Available Over-the-Counter
Vitamin B <sub>6</sub> (Pyridoxine)	Available Over-the-Counter
Vitamin B <sub>12</sub> (Oral - Cyanocobalamin)	Available Over-the-Counter
Vitamin C (Ascorbic acid):	Available Over-the-Counter
Vitamin H (Biotin):	Highly specialised use only (TAG Double Red)

Any exceptions to this list, should be discussed with NHS Norfolk & Waveney ICB Medicines Optimisation Team

## **Acceptable to Prescribe on FP10:**

Where available OTC, consider if patients are willing and able to self-care before prescribing on FP10

on FP10	
Vitamin B₁ (Thiamine):	Only as per local guidance / Nutrition Formulary
Vitamin B <sub>12</sub> (Hydroxocobalamin):	3-monthly injections for diagnosed pernicious anaemia
Vitamin D (Colecalciferol):	High dose to correct deficiency only, on acute prescription, as per local guidance – <u>Adults</u> / <u>Children</u> . Available Over-the-Counter for supplementation / maintenance.
Prescription only Vitamin D analogues i.e. alfacalcidol	Following specialist recommendation
Calcium +/- Vitamin D:	In line with national guidelines regarding prevention and treatment of osteoporosis and <u>local Formulary</u> (available Overthe-Counter)
Vitamin E:	Deficiency associated with cholestasis, severe liver disease, cystic fibrosis, abetalipoproteinaemia. Available Over-the-Counter for any other indication.
Vitamin K (phytomenadione / menadiol sodium phosphate):	Following specialist recommendation
Folic acid 5mg:	As per specialist recommendations for anaemias / prevention of methotrexate-induced folate deficiency
Iron salts for iron deficiency anaemia:	As per <u>local Formulary</u> (otherwise available Over-the-Counter)
<u>Forceval®</u>	For use in severe malnourishment for 3 -6 months only
Ketovite® tablets and liquid	Specialist recommendation only
<u>Renavit</u> ®	For haemodialysis patients following specialist initiation / recommendation only